

## DECORUM® 20" x 18-1/4" WALL-HUNG LAVATORY WITH EVERCLEAN® VITREOUS CHINA

**BARRIER FREE** 

### DECORUM<sup>®</sup> 20" x 18" WALL-HUNG LAVATORY WITH EVERCLEAN<sup>®</sup>

- 20" x 18" vitreous china lavatory with EverClean included
- Available with rear overflow or less overflow
- Recessed self-draining deck with minimal backsplash
- For concealed arm or wall support (wall hanger included)
- ADA and TAS compliant
- · Shown with drain grid (sold separately)
- 9024.000EC No faucet holes
- 9024.001EC Center hole only (CHO)
- 9024.021EC CHO with left hand soap dispenser
- 9024.011EC CHO with right hand soap dispenser
- □ 9024.901EC CHO less overflow
- □ 9024.921EC CHO with left hand soap dispenser less overflow
- 9024.911EC CHO with right hand soap dispenser less overflow
- **9024.004EC** 4" centers
- **9024.024EC** 4" centers with left hand soap dispenser
- 9024.014EC 4" centers with right hand soap dispenser
- 9024.904EC 4" centers less overflow
- 9024.924EC 4" centers with left hand soap dispenser less overflow
- 9024.914EC 4" centers with right hand soap dispenser less overflow
- **9024.008EC** 8" centers
- 9024.908EC 8" centers less overflow

#### **Nominal Dimensions:**

464mm (18-1/4") deep, 508mm (20") wide

#### **Bowl sizes:**

354mm (13-15/16") wide, 325mm (12-13/16") front to back, 127mm (5") deep



9024.004EC shown

#### SEE NEXT PAGE FOR ROUGHING-IN DIMENSIONS

## To Be Specified:

- □ Color: □ White
- Faucet:
- Faucet Finish:
- Supplies:
- □ 1-1/4" Trap:

\* See faucet section for additional models available

# Compliance Certifications -Meets or Exceeds the Following Specifications:






MEETS THE AMERICANS WITH DISABILITIES ACT GUIDE-LINES AND ANSI A117.1 ACCESSIBLE AND USABLE BUILDINGS AND FACILITIES - CHECK LOCAL CODES. Top of front rim mounted 864mm (34") from finished floor.



# DECORUM® 20" x 18-1/4" WALL-HUNG LAVATORY WITH EVERCLEAN® VITREOUS CHINA

**BARRIER FREE** 



NOTES: • LOOSE KEY ANGLE STOPS, LESS WALL ESCUTCHEONS. SUPPLIES REQUIRED.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2.

These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

